

LAMPIRAN

SOURCE CODE PREDIKSI JUMLAH PENGUNJUNG WAHANA REKREASI KELUARGA MENGUNAKAN METODE REGRESI LINEAR PT. FUN WORLD PRIMA CABANG GORONTALO

```
<!DOCTYPE html>

<html>

<head>

    <div class="login-panel panel panel-default">

        <div class="panel-heading">

            <h3 class="panel-title"><strong class="text-primary"><?= $judul; ?></strong></h3>

        </div>

        <div class="panel-body">

            <form role="form" method="post" action="<?= base_url('Auth/prosesLogin'); ?>">

                <fieldset>

                    <div class="form-group">

                        <input class="form-control" placeholder="Username" name="username"
id="username" type="text" autofocus required>

                    </div>

                    <div class="form-group">

                        <input class="form-control" placeholder="Password" name="password"
id="password" type="password" required>

                    </div>

                    <!-- Change this to a button or input when using this as a form -->

                    <button type="submit" name="login" class="btn btn-lg btn-success btn-
block">Login</button>

                    <!-- <a href="index.html" class="btn btn-lg btn-success btn-block">Login</a> -->

                </fieldset>

            </form>

        </div>

    <div id="page-wrapper">
```

```

<?php $this->load->view('view_message') ?>
<div class="row">
    <div class="col-lg-12">
        <a type="button" class="btn btn-primary" href="<?= base_url('User/tambah') ?>">
            <i class="fa fa-plus-circle"></i> Tambah Data</a>
        </div>
        <div class="panel panel-default">
            <div class="panel-heading text-primary">
                <strong class="text-primary"><?= $kotak ?></strong>
            </div>
            <thead>
                <tr>
                    <th>No</th>
                    <th>Nama</th>
                    <th>Tipe</th>
                    <th>Status</th>
                    <th>Proses</th>
                </tr>
            </thead>
            <tbody>
                <?php $no = 1; // membuat variabel nomor dengan value 1
                ?>
                <?php foreach ($qUser as $data) : ?>
                    <tr class="odd gradeX">
                        <td><?= $no++ ?></td>
                        <td><?= $data['namauser'] ?></td>
                        <td><?= $data['status_user'] ?></td>
                        <td class="center"><?= $data['status_aktif'] ?></td>
                        <td class="center">

```

```

        <a href="<?= base_url('User/ubah/' . $data['namauser']) ?>" type="button" class="btn btn-
success">
            <i class="fa fa-edit"></i> Rubah</a>
        <a href="<?= base_url('User/hapus/' . $data['namauser']) ?>" type="button" class="btn btn-
danger"
            onclick="return confirm('Yakin Hapus Data?')">
                <i class="fa fa-times"></i> Hapus</a>
    </td>
</tr>
<?php endforeach; ?>
</tbody>
</table>
</div>
<div id="page-wrapper">
    <div class="row">
        <div class="col-lg-12">
            <h3 class="page-header"><i class="fa fa-list"></i> <?= $judul; ?></h3>
        </div>
    </div>
    <?php $this->load->view('view_message') ?>
    <div class="row">
        <div class="col-lg-12">
            <a type="button" class="btn btn-primary" href="<?= base_url('Dataset/tambah') ?>">
                <i class="fa fa-plus-circle"></i> Tambah Data</a>
            <a type="button" class="btn btn-success" href="<?= base_url('Dataset/import') ?>">
                <i class="fa fa-upload"></i> Import Data</a>
            <a type="button" class="btn btn-success text-end" href="<?= base_url('Dataset/downloadFile') ?>">
                <i class="fa fa-download"></i> Download Format</a>
        </div>
    </div>
<br>

```

```

<div class="row">
  <div class="col-lg-12">
    <div class="panel panel-default">
      <div class="panel-heading text-primary">
        <strong class="text-primary"><?= $kotak ?></strong>
      </div>
      <div class="panel-body">
        <div class="table-responsive">
          <table class="table table-striped table-bordered table-hover" id="dataTables-example">
            <thead>
              <tr>
                <th>No</th>
                <th>Bulan</th>
                <th>Tahun</th>
                <th>Jumlah Permainan (X)</th>
                <th>Jumlah Pengunjung (Y)</th>
                <th>Proses</th>
              </tr>
            </thead>
            <tbody>
              <?php
                $no = 1;
                $jumlah = 1;
                ?>
              <?php foreach ($qDataset as $data) : ?>
                <tr class="odd gradeX">
                  <td><?= $no++ ?></td>
                  <td><?= bulan($data['bulan']) ?></td>
                  <td><?= $data['tahun'] ?></td>
                  <td><?= $data['jumlah_permainan'] ?></td>

```

```

<td><?= $data['jumlah_pengunjung'] ?></td>

<td>

<a href="<?= base_url('Dataset/ubah/' . $data['id_dataset']) ?>" type="button"
class="btn btn-success" title="Rubah Data">

<i class="fa fa-edit"></i> Rubah</a>

<a href="<?= base_url('Dataset/hapus/' . $data['id_dataset']) ?>" type="button"
class="btn btn-danger" onclick="return confirm('Yakin Hapus Data?')" title="Hapus Data">

<i class="fa fa-times"></i> Hapus</a>

</td>

</tr>

<?php endforeach; ?>

</tbody>

</table>

</div>

<div id="page-wrapper">

<div class="row">

<div class="col-lg-12">

<h3 class="page-header"><i class="fa fa-list"></i> <?= $judul; ?></h3>

</div>

</div>

<?php $this->load->view('view_message') ?>

<div class="row">

<div class="col-lg-12">

<div class="panel panel-default">

<div class="panel-heading">

<strong class="text-primary"><?= $kotak ?></strong>

</div>

<div class="panel-body">

<form action="" method="post">

<div class="form-group">

```

```

<label>Nilai Prosentase</label>

<select name="jumlah" class="form-control">

    <?php $persen = $this->input->post('jumlah') ?? $qUji['id_pengujian']; ?>

    <option value="" selected>- Pilih</option>

    <option value="1" <?= $persen == '1' ? 'selected' : '' ?>>Training : 90 % - Testing : 10
%</option>

    <option value="2" <?= $persen == '2' ? 'selected' : 'null' ?>>Training : 80 % - Testing : 30
%</option>

    <option value="3" <?= $persen == '3' ? 'selected' : 'null' ?>>Training : 70 % - Testing : 30
%</option>

    <option value="4" <?= $persen == '4' ? 'selected' : 'null' ?>>Training : 60 % - Testing : 40
%</option>

    <option value="5" <?= $persen == '5' ? 'selected' : 'null' ?>>Training : 50 % - Testing : 50
%</option>

    <option value="6" <?= $persen == '6' ? 'selected' : 'null' ?>>Training : 40 % - Testing : 60
%</option>

    <option value="7" <?= $persen == '7' ? 'selected' : 'null' ?>>Training : 30 % - Testing : 70
%</option>

    <option value="8" <?= $persen == '8' ? 'selected' : 'null' ?>>Training : 20 % - Testing : 80
%</option>

    <option value="9" <?= $persen == '9' ? 'selected' : 'null' ?>>Training : 10 % - Testing : 20
%</option>

</select>

<?= form_error('jumlah'); ?>

</div>

<button type="submit" class="btn btn-primary"><i class="fa fa-link"></i>

    Atur Prosentase</button>

<button type="button" class="btn btn-danger" id="tampil"><i class="fa fa-table"></i> Lihat Hasil
    Pengujian</button>

</form>

</div>

</div>

```

```
</div>
</div>
<!-- modal -->
<!-- Modal -->
<div class="view_modal" style="display:none;"></div>
<!-- /.modal -->
</div>
<!-- /#page-wrapper -->
```

```
<script>
$(document).ready(function() {
    $('#tampil').click(function(e) {
        e.preventDefault();
        viewHasil();
    });
});

function viewHasil() {
    $.ajax({
        url: "<?= base_url('Pengujian/viewHasil'); ?>",
        dataType: "json",
        success: function(response) {
            if (response.sukses) {
                $('.view_modal').html(response.sukses).show();
                $('#modalHasil').modal({
                    backdrop: 'static',
                    keyboard: false
                }, 'show');
            }
            if (response.sukses == false) {
```

```

        alert('Data Latih dan Data Uji Tidak Tersedia!');
        return false;
    }
},
error: function(xhr, thrownError) {
    alert(xhr.status + "\n" + xhr.responseText + "\n" + thrownError);
}
});
}
</script>
<div id="page-wrapper">
    <div class="row">
        <div class="col-lg-12">
            <h3 class="page-header"><i class="fa fa-list"></i> <?= $judul; ?></h3>
        </div>
    </div>
    <?php $this->load->view('view_message') ?>
    <div class="row">
        <div class="col-lg-12">
            <a type="button" class="btn btn-primary" href="<?= base_url('Prediksi/tambah') ?>">
                <i class="fa fa-plus-circle"></i> Tambah Data</a>

        </div>
    </div>
    <br>
    <div class="row">
        <div class="col-lg-12">
            <div class="panel panel-default">
                <div class="panel-heading text-primary">
                    <strong class="text-primary"><?= $kotak ?></strong>

```



```

</div>
<div class="panel-body">
  <div class="table-responsive">
    <table class="table table-striped table-bordered table-hover" id="dataTables-example">
      <thead>
        <tr>
          <th>No</th>
          <th>Bulan</th>
          <th>Tahun</th>
          <th>Jumlah Permainan</th>
          <th>Prediksi Jumlah Pengunjung</th>
          <th>Proses</th>
        </tr>
      </thead>
      <tbody>
        <?php $no = 1; // membuat variabel nomor dengan value 1
        ?>
        <?php foreach ($qPrediksi as $data) : ?>
          <tr class="odd gradeX">
            <td><?= $no++ ?></td>
            <td class="center"><?= bulan($data['bulan_prediksi']) ?></td>
            <td class="center"><?= $data['tahun_prediksi'] ?></td>
            <td class="center"><?= $data['nilai_prediksi'] ?></td>
            <td class="center"><?= $data['hsl_prediksi'] ?></td>
            <td class="center">
              <a href="<?= base_url('Prediksi/hapus/' . $data['id_prediksi']) ?>" type="button"
                class="btn btn-sm btn-danger" onclick="return confirm('Yakin Hapus Data?')" title="Hapus
Data">
                <i class="fa fa-times"></i></a>
            </td>
          </tr>
        </tbody>
      </table>
    </div>
  </div>
</div>

```

```

        </tr>

        <?php endforeach; ?>
    </tbody>
</table>
</div>
</div>
</div>
<div id="page-wrapper">
    <div class="row">
        <div class="col-lg-12">
            <h3 class="page-header"><i class="fa fa-list"></i> <?= $judul; ?></h3>
        </div>
    </div>

    <div class="row">
        <div class="col-lg-12">

            <div class="panel panel-default">
                <div class="panel-heading text-primary">

                    <strong class="text-primary"><?= $kotak ?></strong>

                </div>

                <div class="panel-body">
                    <a type="button" class="btn btn-sm btn-primary" href="<?= base_url('Laporan/printPrediksi')
?>" target="_blank"><i class="fa fa-print"></i> Cetak</a>

                    <br>

                    <br>

                    <div class="table-responsive mt-3">

```

```

<table class="table table-striped table-bordered table-hover" id="dataTables-example2">
  <thead>
    <tr>
      <th>No</th>
      <th>Bulan</th>
      <th>Tahun</th>
      <th>Jumlah Permainan</th>
      <th>Prediksi Jumlah Pengunjung</th>
    </tr>
  </thead>
  <tbody>
    <?php $no = 1; // membuat variabel nomor dengan value 1
    ?>
    <?php foreach ($qPrediksi as $data) : ?>
      <tr class="odd gradeX">
        <td><?= $no++ ?></td>
        <td class="center"><?= bulan($data['bulan_prediksi']) ?></td>
        <td class="center"><?= $data['tahun_prediksi'] ?></td>
        <td class="center"><?= $data['nilai_prediksi'] ?></td>
        <td class="center"><?= $data['hsl_prediksi'] ?></td>
      </tr>
    <?php endforeach; ?>
  </tbody>
</table>
</div>
</div>
</div>

```