

LISTING PROGRAM

```
switch(@$_GET['act']){

    // Tampil Data

    default:

        ?>

        <h1>Data Peta</h1>

        <p>

            <center><input type="button" name="button" value="Tambah Data Peta"
class="button"
onclick="javascript:window.location='media.php?module=peta&act=forminput'">
</center>

            <center>

                <table class="table">

                    <tr class="data">

                        <th class="data" width="20">No. </th>

                        <th class="data" width="60">Periode</th>

                        <th class="data" width="140">Tgl Upload</th>

                        <th class="data">Keterangan</th>

                        <th class="data" width="30">status</th>

                        <th width="100" class="data">Aksi</th>

                    </tr>

                    <?php
                    if(!isset($_GET['hal'])){

                        @$page = 1;

                        @$hal = 1;

                    } else {

                        @$page = $_GET['hal'];

                    }

                }
```

```
$jmlperhalaman = 15; // jumlah record per halaman
```

```
$offset = (($page * $jmlperhalaman) - $jmlperhalaman);
```

```
$stampil=mysql_query("SELECT tb_periode.*, tb_peta.* FROM  
tb_peta join tb_periode on
```

```
tb_periode.id_periode =  
tb_peta.id_periode
```

```
ORDER BY  
tb_periode.periode asc LIMIT $offset, $jmlperhalaman");
```

```
$no = 1;
```

```
while ($r=mysql_fetch_array($stampil)){
```

```
    $lebar=strlen($no);
```

```
    switch($lebar){
```

```
        case 1:
```

```
        {
```

```
            $g="0".$no;
```

```
            break;
```

```
        }
```

```
        case 2:
```

```
        {
```

```
            $g=$no;
```

```
            break;
```

```
        }
```

```
    }
```

```
    echo "<tr class='data'>
```

```
<td class='data'><center>$g</center></td>
```

```

<td class='data' align='center'>{$r[periode]}</td>

    <td class='data'>{$r[tgl_upload]}</td>

    <td class='data'>{$r[ket_peta]}</td>

    <td><center>";

        if({$r['status']=='N'){

            echo "<a
href=media.php?module=peta&act=ubahY&id={$r[id_peta]} onclick=\"return
confirm('Anda akan mengaktifkan Peta ini?')\" title='Tidak Aktif' class='with-
tip'><center><img src='images/t.png'></center></a>";

            }elseif({$r['status']=='Y'){

                echo "<center><img src='images/y.png' title='Aktif'></center>";

            }else{

                echo "NaN";

            }

            echo "</center></td>

    <td class='data'>

        <a href=media.php?module=peta&act=tampil&id={$r[id_peta]} title='Tampil'
class='with-tip'>

        <center><img src='images/view.png'></a>

        <a href=media.php?module=peta&act=edit&id={$r[id_peta]} title='Edit'
class='with-tip'>

        <img src='images/edit.gif'></a>

        <a
href=javascript:confirmdelete('media.php?module=peta&act=hapus&id={$r[id_pet
a]}')

        title='Hapus' class='with-tip'>

        <img src='images/cancel.gif'></center></a>

```

```

</td></tr>";

        $no++;
    }
    ?>

</table>

</center>

</p>

<?php
// membuat nomor halaman

$total_record = mysql_result(mysql_query("SELECT COUNT(*) as Num
FROM tb_peta join tb_periode on

                                tb_peta.id_periode =
tb_periode.id_periode"),0);

$total_halaman = ceil($total_record / $jmlperhalaman);

echo "<center>Halaman :<br/>";

$perhal=4;

if(@$hal > 1){
    $prev = ($page - 1);
    echo "<a href=media.php?module=peta&hal=$prev> << </a> ";
}

if($total_halaman<=10){
    $hal1=1;
    $hal2=$total_halaman;
}else{
    $hal1=$hal-$perhal;
    $hal2=$hal+$perhal;
}

if(@$hal<=5){

```

```

        $hal1=1;
    }
    if(@$hal<$total_halaman){
        $hal2=@$hal+$perhal;
    }else{
        $hal2=@$hal;
    }
    for($i = $hal1; $i <= $hal2; $i++){
        if((@$hal) == $i){
            echo "[<b>$i</b>] ";
        } else {
            if($i<=$total_halaman){
                echo "<a href=media.php?module=peta&hal=$i>$i</a> ";
            }
        }
    }
    if(@$hal < $total_halaman){
        $next = ($page + 1);
        echo "<a href=media.php?module=peta&hal=$next>>></a>";
    }
    echo "</center><br/>";
?>
<?php
break;
case "ubahY":
    mysql_query("UPDATE tb_peta SET status = 'N'");

    mysql_query("UPDATE tb_peta SET status = 'Y'

```

```
WHERE id_peta = '$_GET[id]');
```

```
echo "<script>document.location='media.php?module=peta'</script>";
```

```
break;
```

```
case "forminput":
```

```
$cari = "SELECT * FROM tb_periode WHERE status = 'Y' " ;
```

```
$hasil = mysql_query($cari);
```

```
$t=mysql_fetch_array($hasil);
```

```
?>
```

```
<h1>Input Data Peta</h1>
```

```
<form action="media.php?module=peta&act=simpan" method="post"
id="status" name="status" enctype="multipart/form-data">
```

```
<table class='table'>
```

```
<tr class="data">
```

```
<td colspan="3" align="center" class="data"><hr /></td>
```

```
</tr>
```

```
<tr class="data">
```

```
<td class="data" width="200">Periode Aktif</td>
```

```
<td class="data" width="5">:</td>
```

```
<td class="data">
```

```
<input type="hidden" name="id_periode" value="<?php echo
$t['id_periode']?>" />
```

```
<input type="text" name="periode" class="pendek"
```

```
value="<?php echo $t['periode'];?>" readonly />
```

```
<?php echo "<a href=media.php?module=peta&act=periode
onclick=\"return confirm('Anda akan merubah periode?')\""
```

```
title='Ubah Periode' class='with-tip'><< Ubah Periode
>></a>";?>
```

```
</td>
```

```

</tr>
<tr class="data">
    <td class="data">Gambar Peta</td>
    <td class="data">:</td>
    <td class="data">
        <input name="gambar" type="file" class="sedang">
    </td>
</tr>
<tr class="data">
    <td class="data">Keterangan</td>
    <td class="data">:</td>
    <td class="data">
        <textarea id="ket_peta" name="ket_peta" style="width:500px;
height:100px;"
            placeholder="Keterangan Peta <?php objek();?>
..."></textarea>
    </td>
</tr>
<tr class="data">
    <td colspan="3" align="center" class="data"><hr /></td>
</tr>
<tr class="data">
    <td colspan="3" align="center" class="data">
        <input type="button" name="button" value="Kembali"
class="button" onclick="history.go(-1)"/>
        <input type="submit" name="button" value="Simpan"
class="button" /> </td>
</tr>
</table>

```

```

</form>

<?php
break;

case "tampil":
    $edit = mysql_query("SELECT tb_periode.*, tb_peta.* FROM tb_peta join
tb_periode on
                                tb_peta.id_periode =
tb_periode.id_periode
                                WHERE
tb_peta.id_peta='$_GET[id]'");
    $r  = mysql_fetch_array($edit);
    $_SESSION['peta'] = $r['nm_peta'];
    $_SESSION['adm'] = "null";
    apinya();
    ?>
<h1>Detail Data Peta</h1>

<p>
<div id='petaku' style="width:100%; height:500px; border:dashed #6633FF
1.5px;
    float:left; -moz-border-radius:6px;"></div>
</p>

<form action="" method="post" id="status" name="status"
enctype="multipart/form-data">
    <table class='table'>
        <tr>
            <td colspan="3" class="data"><hr /></td>
        </tr>
        <tr class="data">
            <td width="150" class="data">ID Peta</td>

```



```

        <td width="5" class="data">:</td>

        <td class="data"><?php echo $r['id_peta'];?></td>

    </tr>

    <tr class="data">

        <td class="data">Periode</td>

        <td class="data">:</td>

        <td class="data"><?php echo $r['periode'];?></td>

    </tr>

    <tr class="data">

        <td class="data">Keterangan</td>

        <td class="data">:</td>

        <td class="data"><?php echo $r['ket_peta'];?></td>

    </tr>

    <tr class="data">

        <td colspan="3" align="center" class="data"><hr /></td>

    </tr>

    <tr class="data">

        <td colspan="3" align="center" class="data">

            <input type="button" name="button" value=" << Kembali "
class="button" onclick="history.go(-1)"/></td>

        </tr>

    </table>

</form>

<?php
break;

case "edit":

    $edit = mysql_query("SELECT * FROM tb_peta WHERE
id_peta='$_GET[id]' AND status='Y'");

```

```

    $r = mysql_fetch_array($edit);
    $_SESSION['peta'] = $r['nm_peta'];
    $_SESSION['adm'] = "null";
    apinya();
    ?>

    <h1>Edit Data Peta</h1>

    <p>

    <div id='petaku' style="width:100%; height:500px; border:dashed #6633FF
1.5px;
        float:left; -moz-border-radius:6px;"></div>

    </p>

    <form action="media.php?module=peta&act=update" method="post"
id="Tenagastatus" name="Tenagastatus" enctype="multipart/form-data">

        <table class='table'>

            <tr class="data">

                <td colspan="3" align="center" class="data"><hr /></td>

            </tr>

            <tr class="data">

                <td width="150" class="data">ID Peta</td>

                <td width="5" class="data">:</td>

                <td class="data"><input type="text" name="id_peta"
                    value="<?php echo $r['id_peta'];?>" readonly
id="id_peta" class="pendek"/></td>

            </tr>

            <tr class="data">

                <td class="data">Gambar Peta</td>

                <td class="data">:</td>

                <td class="data">

                    <input name="gambar" type="file" class="sedang">

```

```

        </td>
    </tr>
    <tr class="data">
        <td class="data">Keterangan</td>
        <td class="data">:</td>
        <td class="data">
            <textarea id="ket_peta" name="ket_peta" style="width:500px;
height:100px;"><?php echo $r['ket_peta'];?></textarea>
        </td>
    </tr>
    <tr class="data">
        <td colspan="3" align="center" class="data"><hr /></td>
    </tr>
    <tr class="data">
        <td colspan="3" align="center" class="data">
            <input type="button" name="button" value="Kembali"
class="button" onclick="history.go(-1)"/>
            <input type="submit" name="button" value="Ubah"
class="button" /> </td>
    </tr>
</table>
</form>
<?php
break;

```

```

case "simpandata":

```

```

    $lokasi_file      = $_FILES['gambar']['tmp_name'];
    $fileName         = $_FILES['gambar']['name'];
    $filetype         = $_FILES['gambar']['type'];

```

```

$fileSize      = $_FILES['gambar']['size'];
$fileError      = $_FILES['gambar']['error'];

if (!empty($lokasi_file)){
    //if($fileSize > 0 || $fileError == 0){

    $exp_tipe_berkas    = explode("/", $filetype);

    $nama_berkas_baru   = "P_".date("YmdHis").".".$exp_tipe_berkas[1];

    $move               = move_uploaded_file($lokasi_file,
'gbr_peta/'.$nama_berkas_baru.".kml");

    $nm_file = $nama_berkas_baru.".kml";

    $query=mysql_query("insert into tb_peta(

                                id_periode,

                                tgl_upload,

                                nm_peta,

                                ket_peta)

                                values(

                                '$_POST[id_periode]',

                                '$tglsekarang',

                                '$nm_file',

                                '$_POST[ket_peta]')");

    }else{

        ?><script language="javascript">alert("Maaf, peta tidak boleh
kosong.")</script><?php

        ?><script
language="javascript">document.location.href="media.php?module=peta&act=fo
rminput"</script><?php

    }

```

```

        if($query){

            ?><script language="javascript">alert("Data sudah
tersimpan")</script><?php

            ?><script
language="javascript">document.location.href="?media.php?module=peta"</scri
pt><?php

        }else{

            echo mysql_error();

        }

        break;

    case "update":

        $lokasi_file      = $_FILES['gambar']['tmp_name'];
        $fileName          = $_FILES['gambar']['name'];
        $filetype          = $_FILES['gambar']['type'];
        $fileSize          = $_FILES['gambar']['size'];
        $fileError         = $_FILES['gambar']['error'];

        if (!empty($lokasi_file)){

            //if($fileSize > 0 || $fileError == 0){

                $exp_tipe_berkas      = explode("/", $filetype);

                $nama_berkas_baru     = "P_".date("YmdHis").".".$exp_tipe_berkas[1];

                $move                  = move_uploaded_file($lokasi_file,
'gbr_peta/'.$nama_berkas_baru.".kml");

                $nm_file = $nama_berkas_baru.".kml";

                $query=mysql_query("UPDATE tb_peta SET

                                                    tgl_upload

                = '$tglsekarang',

```

```

                                nm_peta
= '$nm_file',

                                ket_peta
= '$_POST[ket_peta]'
                                WHERE id_peta = '$_POST[id_peta]');
}else{
    $query=mysql_query("UPDATE tb_peta SET
                                tgl_upload
                                ket_peta
= '$tglsekarang',
= '$_POST[ket_peta]'
                                WHERE id_peta = '$_POST[id_peta]");
}
if($query){
    ?><script language="javascript">alert("Data sudah diubah
!")</script><?php
    ?><script
language="javascript">document.location.href="media.php?module=peta"</script
><?php
    }else{
        echo mysql_error();
    }
    break;

case "hapus":
    $query=mysql_query("DELETE FROM tb_peta WHERE
id_peta='$_GET[id]");
    if($query){
        ?><script language="javascript">alert("Data sudah dihapus
!")</script><?php

```

```
?><script
language="javascript">document.location.href="?media.php?module=peta"</scri
pt><?php
```

```
}else{
```

```
    echo mysql_error();
```

```
}
```

```
break;
```

```
case "periode":
```

```
?>
```

```
<table class='table'>
```

```
    <tr class="data">
```

```
        <th class="data" width="20">ID</th>
```

```
        <th class="data">Peride</th>
```

```
        <th class="data" width="30">status</th>
```

```
    </tr>
```

```
<?php
```

```
if(!isset($_GET['hal'])){
```

```
    @$page = 1;
```

```
    @$hal = 1;
```

```
} else {
```

```
    @$page = $_GET['hal'];
```

```
}
```

```
$jmlperhalaman = 10; // jumlah record per halaman
```

```
$offset = (( $page * $jmlperhalaman) - $jmlperhalaman);
```

```

    $stampil=mysql_query("SELECT * FROM tb_periode ORDER BY
periode desc LIMIT $offset, $jmlperhalaman");
```

```

    $no = 1;
```

```

while ($r=mysql_fetch_array($stampil)){
    $lebar=strlen($no);
    switch($lebar){
        case 1:{
            $g="0".$no;
            break;
        }
        case 2:{
            $g=$no;
            break;
        }
    }

    echo "<tr class='data'>
<td class='data'><center>$no</center></td>
<td class='data'><center>$r[periode]</center></td>
<td><center>";

    if($r['status']=='N'){
        echo "<a
href=media.php?module=peta&act=ubahY&id=$r[id_periode] onclick=\"return
confirm('Anda akan mengaktifkan Periode ini?')\" title='Tidak Aktif' class='with-
tip'><center><img src='images/t.png'></center></a>";

    }elseif($r['status']=='Y'){
        echo "<center><img src='images/y.png' title='Aktif'></center>";
    }else{
        echo "NaN";
    }

    echo "</center></td>
</tr>";

```



```

        $no++;
    }
    ?>
</table>
<form>
    <table class='table'>
        <tr class="data">
            <td colspan="3" align="center" class="data">
                <input type="button" name="button" value="Kembali"
class="button" onclick="history.go(-1)"/></td>
            </tr>
        </table>
    </form>
<?php
break;

case "ubahY":
    mysql_query("UPDATE tb_periode SET status = 'N'");

    mysql_query("UPDATE tb_periode SET status = 'Y'
                WHERE id_periode = '$_GET[id]'");

    echo
"<script>document.location='media.php?module=peta&act=forminput'</script>";
    break;
}

```